# RAFCO INC

# SAFETY DATA SHEET

# 1. Identification

Product identifier Geotac and Paveprep Products

Other means of identification None.

**Recommended use** Waterproofing and Pavement Reinforcement Membrane

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Manufacturer:** Crafco, Inc.

**Address:** 6165 West Detroit St.

Chandler, AZ 85226 USA

**Contact Name:** Jim Chehovits **Telephone:** 602-276-0406

**E-mail:** jim.chehovits@crafco.com **CHEMTREC:** 800-424-9300 (North America)

+ 1-703-527-3887 (International)

**Supplier** Not available.

#### 2. Hazard identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.

\*Hazards not stated here are "Not classified", "Not applicable" or "Classification not possible".

#### **Label elements**

Hazard symbol None.

Signal wordNot applicable.Hazard statementNot applicable.

**Precautionary statement** 

Prevention Not applicable.

Response Not applicable.

Storage Not applicable.

Disposal Not applicable.

Other hazards None known.

**Supplemental information** None.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
ASPHALT		8052-42-4	20 - 80
Limestone		1317-65-3	0 - 50
POLYESTER FIBERS		25038-59-9	0 - 20
Polypropylene Fiber		66070-58-4	0 - 20
Other components below reportable levels			32.21

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in

percent by volume.

#### 4. First-aid measures

**Inhalation** If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention, if needed. Call a physician if symptoms develop or persist.

Material name: Geotac and Paveprep Products

5863 Version #: 01 Issue date: 01-16-2019

1 / 6

Skin contact In case of contact, immediately flush skin with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Thoroughly wash (or discard) clothing and shoes

before reuse.

Not available.

Immediately flush eyes with plenty of water for at least 15 minutes. If a contact lens is present, DO **Eye contact** 

NOT delay irrigation or attempt to remove the lens. Get medical attention if irritation develops and

**Ingestion** Rinse mouth. Do not induce vomiting. Do not use mouth-to-mouth method if victim ingested the

substance. Call a POISON CENTER or doctor/physician if you feel unwell.

Most important

symptoms/effects, acute and

delayed

**Indication of immediate** medical attention and special

treatment needed

**General information** 

In case of ingestion, the decision of whether or not to induce vomiting should be made by the attending physician. Certain pre-existing conditions may make workers particularly susceptible to the effects of this chemical: asthma, allergies, impaired pulmonary function.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Discard any shoes or clothing items that cannot be decontaminated.

# 5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Addition of water or foam to the fire may cause frothing.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

the chemical

Special protective equipment and precautions for

firefighters

Fire may produce irritating, corrosive and/or toxic gases. Development of hazardous combustion gases or vapours possible in the event of a fire. The following may develop: Acrolein.

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Firefighters should wear full protective clothing including self contained breathing apparatus. Structural firefighters protective clothing will only provide limited protection.

Fire fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. ALWAYS stay away from tanks engulfed in flame. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. In the event of fire, cool tanks with water spray. By fire, toxic gases may be formed (COx, NOx). Keep run-off water out of sewers and water sources. Dike for water control.

**Specific methods** 

In the event of fire and/or explosion do not breathe fumes. In the event of fire, cool tanks with water spray. Use water spray to cool unopened containers.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear necessary protective equipment.

Methods and materials for containment and cleaning up

Shovel into a dry metal container.

**Environmental precautions** 

Not relevant because of the packaging.

# 7. Handling and storage

Precautions for safe handling

The product is non-combustible. If heated, irritating vapors may be formed. Do not use in areas without adequate ventilation. Wash hands thoroughly after handling. Wash hands after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a well-ventilated place. Keep the container tightly closed and dry. Store in a closed container away from incompatible materials. Keep out of the reach of children.

#### 8. Exposure controls/personal protection

## Occupational exposure limits

**US. ACGIH Threshold Limit Values** 

Components	Туре	Value	Form
ASPHALT (CAS 8052-42-4)	TWA	0.5 mg/m3	Inhalable fume.

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) **Form** Components **Value** Type ASPHALT (CAS 8052-42-4) **TWA** 5 ma/m3 Fume.

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components **Type Value Form** ASPHALT (CAS 8052-42-4) TWA 0.5 mg/m3 Aerosol, inhalable.

**Form** 

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) Components **Type** Value

ASPHALT (CAS 8052-42-4) **TWA** 0.5 mg/m3 Inhalable fume.

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

**Components Value Form Type** ASPHALT (CAS 8052-42-4) TWA 0.5 mg/m3 Inhalable fraction.

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety) Components Value **Form Type** ASPHALT (CAS 8052-42-4) **TWA** 5 mg/m3 Fume.

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

**Form Components Value Type** ASPHALT (CAS 8052-42-4) 15 minute 1.5 mg/m3 Inhalable fraction. 8 hour Inhalable fraction. 0.5 mg/m3

**Biological limit values** No biological exposure limits noted for the ingredient(s). Appropriate engineering Ensure adequate ventilation, especially in confined areas. controls

Individual protection measures, such as personal protective equipment

Eye/face protection If contact is likely, safety glasses with side shields are recommended.

Skin protection

**Hand protection** Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves.

Other Use impervious gloves.

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators.

Thermal hazards Not available.

**General hygiene** When using do not smoke. Avoid contact with eyes. Avoid contact with skin. Keep away from food considerations

and drink. Handle in accordance with good industrial hygiene and safety practice.

#### 9. Physical and chemical properties

Solid. Sheets. **Appearance** 

Solid. Physical state **Form** Solid. Color

Odor Product is a black, semi-solid with a burnt tar odor.

**Odor threshold** Not available. Not available.

Melting point/freezing point 150 - 250 °F (65.56 - 121.11 °C) ASTM D36 Softening Point

Initial boiling point and

> 800 °F (> 426.67 °C)

boiling range

> 400.0 °F (> 204.4 °C) Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not available.

Material name: Geotac and Paveprep Products 5863 Version #: 01 Issue date: 01-16-2019 Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

**Auto-ignition temperature** > 700 °F (> 371.11 °C)

**Decomposition temperature** Not available. **Viscosity** Not available.

Other information

**Density** Not Available

Percent volatile 0%Specific gravity 1-1.9

## 10. Stability and reactivity

**Reactivity** Not available.

**Chemical stability** Material is stable under normal conditions. **Possibility of hazardous** Hazardous polymerization does not occur.

reactions

**Conditions to avoid** Strong oxidizing agents.

**Incompatible materials** Incompatible with oxidizing agents.

**Hazardous decomposition** Upon decomposition, product emits acrid dense smoke with carbon dioxide, carbon monoxide, trace

**products** oxides of nitrogen and sulfur, and water.

#### 11. Toxicological information

Information on likely routes of exposure

**Inhalation** May cause irritation to the respiratory system.

**Skin contact** Irritating to skin.

**Eye contact** Causes eye irritation. Molten material will produce thermal burns.

**Ingestion** May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms related to the physical, chemical and toxicological characteristics

Not available.

Information on toxicological effects

**Acute toxicity** Not available.

**Skin corrosion/irritation** Defats the skin. Causes irritation.

Serious eye damage/eye

irritation

Irritating to eyes.

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

ASPHALT (CAS 8052-42-4) Irritant

**Respiratory sensitization** Not available. **Skin sensitization** Irritating to skin.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**ACGIH Carcinogens** 

ASPHALT (CAS 8052-42-4) A4 Not classifiable as a human carcinogen.

Canada - Manitoba OELs: carcinogenicity

ASPHALT (CAS 8052-42-4) Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

ASPHALT (CAS 8052-42-4) 2B Possibly carcinogenic to humans.

**Reproductive toxicity**Contains no ingredient listed as toxic to reproduction

Specific target organ toxicity

- single exposure

Not available.

Specific target organ toxicity

- repeated exposure

Not available.

**Aspiration hazard** Not available.

**Chronic effects** Prolonged inhalation may be harmful. May cause eczema-like skin disorders (dermatitis).

12. Ecological information

**Ecotoxicity**This product has no known eco-toxicological effects. Not expected to be harmful to aquatic

organisms.

Persistence and degradabilityNot available.Bioaccumulative potentialNot available.Mobility in soilNot available.Other adverse effectsNot available.

13. Disposal considerations

**Disposal instructions**Dispose of contents/container in accordance with local/regional/national/international regulations.

When this product as supplied is to be discarded as waste, it does not meet the definition of a

RCRA waste under 40 CFR 261.

Hazardous waste code

Waste from residues / unused products

Dispose of in accordance with local regulations.

**Contaminated packaging** Offer rinsed packaging material to local recycling facilities.

Not applicable.

14. Transport information

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

**Transport in bulk according to** Not available.

Annex II of MARPOL 73/78

and the IBC Code

**General information** Not regulated as dangerous goods.

15. Regulatory information

**Canadian regulations**This product has been classified in accordance with the hazard criteria of the CPR and the SDS

contains all the information required by the CPR.

**Controlled Drugs and Substances Act** 

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

Material name: Geotac and Paveprep Products 5863 Version #: 01 Issue date: 01-16-2019

#### **International regulations**

The product does not need to be labelled in accordance with EC directives or respective nationa laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

#### **Stockholm Convention**

Not applicable.

#### **Rotterdam Convention**

Not applicable.

#### **Kyoto protocol**

Not applicable.

#### **Montreal Protocol**

Not applicable.

#### **Basel Convention**

Not applicable.

## **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A IIVaall indicates that all some	name of this word of according to the decimal of the control of th	· · · · · · · · · · · · · · · · · · ·

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information

**Issue date** 01-16-2019

Version # 01

**Further information** HMIS® is a registered trade and service mark of the NPCA.

**References** ACGIH

EPA: AQUIRE database

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

**Disclaimer** The information in the sheet was written based on the best knowledge and experience currently

available. The information provided in this Safety Data Sheet is correct to the best of our

knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any

other materials or in any process, unless specified in the text.

**Revision information** Product and Company Identification: Product and Company Identification

Composition / Information on Ingredients: Ingredients

Material name: Geotac and Paveprep Products 5863 Version #: 01 Issue date: 01-16-2019

SDS CANADA

6/6